

EL EM		VAS					B240	B500 B							
JEL	DB	JEL	DB	ÖsszDE	ÁTM	HOSSZ	6	8	10	12	16	20	22	25	
P18	1	1	2	2	12	4,16				8,32					
	1	2	2	2	12	4,15				8,30					
	1	3	22	22	8	1,06		23,32							
	1			0											
P19	1	1	2	2	12	4,16				8,32					
	1	2	2	2	12	4,15				8,30					
	1	3	24	24	8	1,16		27,84							
	1			0											
P20	1	1	4	4	12	4,85				19,40					
	1	2	29	29	8	1,16		33,64							
	1			0											
P21	1	1	4	4	12	3,55				14,20					
	1	2	20	20	8	0,96		19,20							
	1			0											
P22	1	1	4	4	12	3,55				14,20					
	1	2	20	20	8	0,96		19,20							
	1			0											
P23	1	1	4	4	12	4,15				16,60					
	1	2	24	24	8	0,96		23,04							
	1			0											
P24	4	1	4	16	12	4,15				66,40					
	4	2	24	96	8	1,06		101,76							
	1			0											
K1	1	1	4	4	12	53,20				212,80					
	1	2	170	170	8	0,86		146,20							
	1	3	255	255	8	0,76		193,80							
	1			0											
K2	1	1	4	4	12	43,40				173,60					
	1	2	139	139	8	0,60		83,40							
	1	3	208	208	8	0,76		158,08							
	1			0											
K3	1	1	4	4	12	64,00				256,00					
	1	2	204	204	8	0,86		175,44							
	1			0											
K4	1	1	4	4	12	23,40				93,60					
	1	2	76	76	8	0,96		72,96							
	1			0											
K5	1	1	4	4	12	10,00				40,00					
	1	2	51	51	8	0,96		48,96							
	1			0											
K6	1	1	4	4	8	9,50		38,00							
	1	2	32	32	8	0,76		24,32							
	1			0											
K7	1	1	4	4	12	25,80				103,20					
	1	2	83	83	8	0,66		54,78							
	1			0											
K8	1	1	2	2	6	10,00	20,00								
	1	2	68	68	8	0,30		20,40							
	1			0											
Bekötővas				0											
	1	b1	18	18	10	1,10			19,80						
	1	b2	7	7	10	2,20			15,40						
	1			0											
	1			0											
Vashossz összesen							fm	20,00	1264,34	35,20	1043,24	0,00	0,00	0,00	0,00
Folyóméterenkénti súly							kg/fm	0,222	0,395	0,617	0,888	1,580	2,468	2,986	3,856
Átmérő szerinti súly							kg	4,44	499,27	21,72	926,91	0,00	0,00	0,00	0,00
Vasszükséglet összesen							to	0,00	0,50	0,02	0,93	0,00	0,00	0,00	0,00
Építkezés helye: Múzeumfalú, Raktár és iroda, Nyíregyháza										Földszint					
VASKIMUTATÁS							S-2, S-3 TERVHEZ					SV-			